

CORRES. CONTROL  
INCOMING LTR NO.

01783 RF 94

DUE  
DATE

ACTION

DIST. LTR ENC

BERMAN, H.S.	
CARNIVAL, G.J.	
COPP, R.D.	
CORDOVA, R.C.	
DAVIS, J.G.	
FERRERA, D.W.	
FRANZ, W.A.	
HANNI, B.J.	
HEALY, T.J.	
HEDAH, T.G.	
HILBIG, J.G.	
HUTCHINS, N.M.	
KELL, R.E.	
KIRBY, W.A.	
KUESTER, A.W.	
MAHAFFEY, J.W.	
MANN, H.P.	
MARX, G.E.	
McKENNA, F.G.	
MORGAN, R.V.	
PIZZUTO, V.M.	
POTTER, G.L.	
SANDLIN, N.B.	
SATTERWHITE, D.G.	
SCHUBERT, A.L.	
SETLOCK, G.H.	
STIGER, S.G.	
SULLIVAN, M.T.	
SWANSON, E.R.	
WILKINSON, R.B.	
WILSON, J.M.	
Busby, W.	
Peterman, B.	



Department of Energy

ROCKY FLATS OFFICE  
P.O. BOX 928  
GOLDEN, COLORADO 80402-0928

May 15 11 42 AM '94

94-DOE-05007

Mr. Martin Hestmark  
U. S. Environmental Protection Agency, Region VIII  
ATTN: Rocky Flats Project Manager, 8HWM-RI  
999 18th Street, Suite 500, 8WM-C  
Denver, Colorado 80202-2405

Mr. Gary Baughman  
Hazardous Waste Facilities Unit Leader  
Colorado Department of Health  
4300 Cherry Creek Drive South  
Denver, Colorado 80222-1530

Gentlemen:

Enclosed for your review are two copies of the Draft Technical Memorandum No. 1, Data Compilation, Volume 1, Rocky Flats Plant 700 Area, Operable Unit No. 8. This document presents data obtained in Stage 1 data compilation of locations and sampling history of foundation drains, an evaluation of infiltration/exfiltration of storm and sanitary sewer lines, an evaluation of the site-wide air monitoring program, and additional data compilation of individual hazardous substance sites 118.1, 118.2, 150.6, 150.8, 151, 184, and 188. It meets the Stage 1 RCRA Facility Investigation and the CERCLA Remedial Investigation Work Plan requirements (Section 6.4.1.4) to compile data before proceeding with Stage 2 activities.

The Department of Energy is currently reviewing this document. We feel that your concurrent review will expedite implementation of Stage 2 activities. We request that you complete your review and submit your comments to us by May 23, 1994.

If you have any questions, please feel free to contact Steve Staten of my staff at 966-4839.

Sincerely,

Jessie Roberson  
Acting Assistant Manager for  
Environmental Restoration

Enclosure

CORRES CONTROL ☒ ☒  
PATSI/130G

Reviewed for Addressee  
Corres. Control RFP

5/15/94  
DATE BY

Ref Ltr. #

DOE ORDER # 5400.3

6-1100-000140

M. Hestmark & G. Baughman  
94-DOE-05007

2

cc w/Enclosure:  
A. Rampertaap, EM-453

cc: w/o Enclosure:  
S. Slaten, ER, RFFO  
J. Burd, ER, RFO  
D. Norbury, CDH  
S. Arnold, CDH  
J. Love, CDH  
H. Ainscough, CDH  
L. Carlson, FWS  
W. Fraser, EPA  
P. Roger, CGS  
W. Busby, EG&G  
B. Peterman, EG&G